

Sand
Fibers

Nautical Ikat on Blue

Designed by Carol Dean Sharpe/Sand Fibers © 2016.
All rights reserved. For distribution and teaching by customers of
the Beadsmith.



**the
BEAD
SMITH**

This project may be taught
and distributed exclusively by
customers of the BeadSmith.



Intermediate Odd-Count Peyote Project

Working knowledge of peyote and square
stitch are required and are not taught in this
tutorial.

Delica 11/0 Beads

DB0200 White (162 beads or 1gr)
DB2101 Duracoat Op Lt Lemon Ice (504
beads or 3gr)
DB2143 Matte Op Dyed Navy (369 beads or
2gr)
DB2144 Matte Op Dyed Cobalt (1578 beads
or 8.5gr)

Other Supplies/Tools

4lbs Fireline (smoke) or thread of choice
Size 11 beading needle
Clasp shown: Beadsmith BeadSlide™

Please note that the colors on the following chart have been chosen for ease of reading rather than to reflect the actual color of the beads used in Nautical Ikat on Blue.

The full pattern given results in a 7 ¼” piece of beadwork. Length can easily be increased by adding additional rows of the background color to each end. For a 6 ¾” cuff start on Row 7, and end on the appropriate row to mirror the pattern.


The original pictured on the cover was beaded using the following Miyuki size 11° Delica beads:

1. DB2144 Matte Op Dyed Cobalt (1578 beads or 8.5 grams)
2. DB2101 Duracoat Op Lt Lemon Ice (504 beads or 3 grams)
3. DB0200 White (162 beads or 1 gram)
4. DB2143 Matte Op Dyed Navy (369 beads or 2 grams)

Please note that the bead counts given do not include beads used for a closure. To plan your bead purchase, assume that 190 Delica beads = 1 gram.

I like to use a beaded bead as the toggle in my closures. I create these by stitching a simple peyote rectangle and then “zipping” it up to create a tube. I attach the toggle as if it were a button, making sure to bury my stitches. A beaded loop provides the other end of the closure.

To use BeadSlides clasps: You must have a straight row which will be enclosed within the end tubes attached to the clasp. Peyote stitch has staggered rows. To modify this pattern, square stitch a bead on each “out” bead of the first and last rows of peyote. Sew through the new beads twice to secure before sewing through adjacent rows in a figure 8 path as shown, to further secure the rows.



Nautical Ikat on Blue Peyote Cuff

A Sand Fibers Original Pattern for distribution and teaching by customers of the Beadsmith.

©2016 Carol Dean Sharpe/Sand Fibers All Rights Reserved.

